

PST MIGRATOR

GPO DEPLOYMENT GUIDE

REQUIREMENTS

- Outlook 2013 or 2016
- Windows
 - Client: Windows 7, 8, 8.1 or 10 (32 or 64 bit)
 - Server: Windows 2008, 2008 R2, 2012, or 2012 R2
 - Note: Antivirus check feature unavailable on server versions.
- .Net 3.5, 4.0 or 4.5
 - Most operating systems have .Net 3.51 already installed. PST Migrator is delivered as the .Net 3.51 version unless requested in 4 or 4.5 versions.


ADDITIONAL DEPLOYMENT METHODS

PST Migrator is flexible to be run via multiple methods. The application is an executable that needs to be run under the logged-in user context. Other suggested methods include application distribution packages including LANDesk, Microsoft's SCCM, and LabTech.

DEPLOYMENT STEPS

1. CREATE OR EDIT GPO


Go to user Configuration – Policies – Windows Settings - Scripts. Open Logon




scripts.

2. GO TO ADD

3. CLICK BROWSE




4. CREATE NEW FOLDER IN OPENED PATH




5. COPY FILES

Copy all application files including license key, to newly created folder. Select PST Migrator for Outlook executable



6. CONTROL DEPLOYMENT

Under security filtering replace authenticated users with a group of users that will



have rights to execute.

7. CREATE FOLDER FOR STATUS FILES

For network deployments a centralized folder is recommended that is secured by the same group used for deployment. Keep track of path for placement in the configuration file.

8. EDIT CONFIGURATION

Edit "PST Migrator for outlook.exe.config" file using any text editor. Notepad or Notepad++ are recommended for editing XML configuration files. See configuration guide for more detail on settings.

9. CUSTOMIZE STATUS MESSAGE

Edit status message htm file for customized message when process completes.

10. ADD USERS TO GROUP CREATED FOR CONTROLLING EXECUTION

11. LINK GPO TO APPROPRIATE FOREST, SITE, DOMAIN OR OU